
**FEATURES**


- MATERIAL: 24 GAUGE GALVANNEALED STEEL WITH EXPOSED SURFACES AND PATTERN CONTROLLER PAINTED FLAT BLACK.
- NECK OPENING IS LOCATED SO THAT BOTTOM OF INLET IS ABOVE AIR PATTERN CONTROLLER THROUGHOUT THE RANGE OF SETTINGS INCLUDING VERTICAL.

**OPTIONS (SPECIFY)**

	MODEL	INLET	LENGTH
<input type="checkbox"/>	BA-22	6"	22
<input type="checkbox"/>	BA-34	7"	34
<input type="checkbox"/>	BA-46	8"	46
<input type="checkbox"/>	BA-58	10" OVAL	58
<input type="checkbox"/>	BS-24	6"	23-3/4
<input type="checkbox"/>	BS-36	7"	35-3/4
<input type="checkbox"/>	BS-48	8"	47-3/4
<input type="checkbox"/>	BS-60	10" OVAL	59-3/4

- NO INSULATION
- INTERNAL INSULATION
- EXTERNAL INSULATION

**SUPPLY DIFFUSER**  
MODELS BA & BS



**AIR PATTERN CONTROLLER**

*STANDARD INDUSTRY TOLERANCES APPLY. SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.*

JOB NAME: \_\_\_\_\_

LOCATION: \_\_\_\_\_

ARCHITECT: \_\_\_\_\_

ENGINEER: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_

### MODELS BA/BS PLENUM SLOT DIFFUSERS

DRAWN BY: RBJ      DATE: 05-30-91      DWG. NO. BA/BS